

# **BLANK PAGE**



2008

IS 6175 ( Part 8 ): 1992 ( Superseding IS 7796 )

## भारतीय मानक

# पेंच वाली चूड़ियाँ काटने के औजार

भाग 8 पाइप चूड़ियाँ टेपर, म्रारसी शृंखला वाली चूड़ियाँ काटने के औजार — विशिष्टि

# Indian Standard SCREWING TAPS

PART 8 SCREWING TAPS FOR PIPE THREADS TAPER Rc SERIES — SPECIFICATION

UDC 621.993 : 621.882.082.22

© BIS 1992

BUREAU OF INDIAN STANDARDS MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

### AMENDMENT NO. 1 JANUARY 1996 TO IS 6175 (Part 8): 1992 SCREWING TAPS PART 8 SCREWING TAPS FOR PIPE THREADS TAPER R<sub>c</sub> SERIES — SPECIFICATION

Typographical errors have crept in the text of this standard as far as 'year of printing' is concerned. Year of printing shall be read as '1992' in place of '1991' in the text of the following Indian Standards wherever it appears:

IS 6171, IS 6173 ( Part 2 ) and IS 6175 ( Parts 1 to 3 and Parts 6 and 7 ).

(PE 10)

Reprography Unit, BIS, New Delhi, India

#### FOREWORD

This Indian Standard was adopted by the Bureau of Indian Standards, after the draft finalized by the Thread Cutting Taps and Dies Sectional Committee had been approved by the Production Engineering Division Council.

This standard for hand screwing taps for Rc series threads was covered in IS 7796: 1971 'Specification for hand taps for pipe threads taper'.

In this revision to bring out all product standards on screwing taps under parts of an Indian Standard, the changes are as under.

The dimensions for threaded portion of the taps have been deleted and now covered in IS 6173 (Part 2): 1991.

Consequent to adoption of ISO 7/1 as IS 554: 1985, the Rc  $3\frac{1}{2}$  has been deleted in IS 554: 1985, hence in this standard also Rc  $3\frac{1}{2}$  does not find a place.

This standard is in full conformity with ISO 2284: 1987 'Hand taps for pipe threads for parallel and taper threads — General dimensions and marking' issued by the International Organization for Standardization ( ISO ).

Other Indian Standards on screwing taps of this series are:

IS 6175 ( Part 1 ): 1991	Screwing taps: Part 1 Hand and short machine screwing taps for ISO metric screw threads sizes M 1 to M 2.5 — Specification ( second revision)
IS 6175 ( Part 2 ): 1991	Screwing taps: Part 2 Hand and short machine screwing taps for ISO metric screw threads sizes M 3 to M 10 — Specification (second revision)
IS 6175 ( Part 3 ): 1991	Screwing taps: Part 3 Hand and short machine screwing taps for ISO metric screw threads sizes M 3 to M 68 with coarse pitches and M 3 to M 100 with fine pitches — Specification ( second revision )
IS 6175 ( Part 4 ): 1991	Screwing taps: Part 4 Long shank machine screwing taps for ISO metric screw threads sizes M 3 to M 24 — Specification (superseding IS 7821)
IS 6175 (Part 5): 1991	Screwing taps: Part 5 Nut screwing taps for ISO metric screw threads sizes M 3 to M 68 with coarse pitches — Specification (superseding IS 6174)
IS 6175 (Part 6): 1991	Screwing taps: Part 6 Screwing taps for pipe threads parallel G series — Specification ( superseding IS 6172 )
IS 6175 (Part 7): 1991	Screwing taps: Part 7 Screwing taps for pipe threads parallel Rp series — Specification ( superseding IS 6172 )

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test, shall be rounded off in accordance with IS 2: 1960'Rules for rounding off numerical values (revised)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

## Indian Standard

## **SCREWING TAPS**

## PART 8 SCREWING TAPS FOR PIPE THREADS TAPER Rc SERIES — SPECIFICATION

#### 1 SCOPE

This standard covers the dimensions and requirements for screwing taps for pipe threads taper Rc series conforming to IS 554: 1985 'Dimensions for pipe threads where pressure tight joints are made on threads (third revision)' range from Rc 1/16 to Rc 4 with relieved shank. This may be used as a hand screwing tap as well as a machine screwing tap.

#### 2 REFERENCES

The following Indian Standards are necessary adjuncts to this standard:

IS No.	Title
6171 : 1991	Screwing taps technical supply conditions
6173 ( Part 2) : 1991	Screwing taps dimensions and tolerances on threaded portion of screwing taps: Part 2 For G, Rp and Rc series threads

#### 3 GENERAL DIMENSIONS

**3.1** Dimensions of screwing taps for pipe threads Rc series shall be as given in Table 1.

#### 4 TOLERANCES

- **4.1** Tolerances on overall length and radial run-out shall be according to IS 6171: 1991.
- **4.2** Dimensions and tolerances on threaded portion of screwing taps shall be according to IS 6173 ( Part 2 ): 1991.

#### 5 MATERIAL

The material of screwing tap shall be as given in 4 of IS 6171: 1991.

#### 6 HARDNESS

The hardness of screwing tap shall be as given in 5 of IS 6171: 1991.

#### 7 GENERAL REQUIREMENTS

**7.1** The number of flutes shall be as given below:

Diameter		No. of Flutes		
F				
From Rc 1/16	To Rc 1/4	3 or 4		
Rc 3/8	Rc 2	4 or 6		
Rc 2½	_	6 or 8		
Rc 3	Rc 4	8 or 10		

**7.2** For requirements not covered in this standard, shall conform to the requirements of IS 6171: 1991.

#### 8 DESIGNATION


- **8.1** Screwing taps shall be designated by the name, nominal size, number of this standard and material from which it is made.
- **8.2** A hand screwing tap of size Rc 1/2 conforming to this standard and made of high speed steel (HSS) shall be designated as:

Screwing Tap IS 6175 (Part 8) Rc 1/2 HSS

#### 9 MARKING

**9.1** Screwing taps shall be marked with appropriate information as per 10 of IS 6171: 1991.

Table 1 Dimensions of Screwing Taps for Pipe Threads Rc Series Screwing Taps
( Clause 3.1 )
All dimensions in millimetres.



Designation		Pitch	d	1	$l_1$	L	Square	
	Dia D		h 9	+2 -1	Max		a h 11	<i>l</i> <sub>3</sub>
Rc 1/16	7·723	0·907	5·6	14	10·1	52	4·5	7
Rc 1/8	9·728	0·907	8·0	15	10·1	59	6·3	9
Rc 1/4	13·157	1·337	10·0	19	15·0	67	8·0	11
Rc 3/8	16·662	1·337	12·5	21	15·4	75	10·0	13
Rc 1/2	20·955	1·814	16·0	26	20·5	87	12·5	16
Rc 3/4	26·441	1·814	20·0	28	21·8	96	16·0	20
Rc 1	33·249	2·309	25·0	33	26·0	109	20·0	24
Rc 1-1/4	41·910	2·309	31·5	36	28·3	119	25·0	28
Rc 1-1/2	47·803	2·309	35·5	37	28·3	125	28·0	31
Rc 2	59·614	2·309	40·0	41	32·7	140	31·5	34
Rc 2-1/2	75·184	2·309	45.0	45	37·1	153	35·5	38
Rc 3	87·884	2·309	50.0	48	40·2	164	40·0	42
Rc 4	113·030	2·309	71.0	53	46·2	185	56·0	56

NOTE — The figures are indicative of dimensions only and do not specify design features.

#### Standard Mark

The use of the Standard Mark is governed by the provisions of the Bureau of Indian Standards Act, 1986 and the Rules and Regulations made thereunder. The Standard Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well defined system of inspection, testing and quality control which is devised and supervised by BIS and operated by the producer. Standard marked products are also continuously checked by BIS for conformity to that standard as a further safeguard. Details of conditions under which a licence for the use of the Standard Mark may be granted to manufacturers or producers may be obtained from the Bureau of Indian Standards.

#### **Bureau of Indian Standards**

BIS is a statutory institution established under the *Bureau of Indian Standards Act*, 1986 to promoto harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

#### Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publication), BIS.

#### Revision of Indian Standards

Indian Standards are reviewed periodically and revised, when necessary and amendments, if any, are issued from time to time. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition. Comments on this Indian Standard may be sent to BIS giving the following reference:

Doc: No. PE 13 (5527)

#### **Amendments Issued Since Publication**

Amend No.	 Date of Issue	Text Affected
	 	· · · · · · · · · · · · · · · · · · ·

#### **BUREAU OF INDIAN STANDARDS**

#### Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002

Telephones: 331 01 31, 331 13 75

Telegrams: Manaksanstha

( Common to all Offices )

Regional Offices:

Central: Manak Bhavan, 9 Bahadur Shah Zafar Marg
NEW DELHI 110002

331 01 31
331 13 75

Eastern: 1/14 C.I.T. Scheme VII M, V.I.P. Road, Maniktola

CALCUTTA 700054 37 86 62

Northern: SCO 445-446, Sector 35-C, CHANDIGARH 160036 53 38 43

Southern: C.I.T. Campus, IV Cross Road, MADRAS 600113 2350216

Western: Manakalaya, E9 MIDC, Marol, Andheri (East)

BOMBAY 400093 32 92 95

Branches: AHMADABAD. BANGALORE. BHOPAL. BHUBANESHWAR.

COIMBATORE. FARIDABAD. GHAZ1ABAD. GUWAHATI.

HYDERABAD. JAIPUR. KANPUR. PATNA. THIRUVANANTHAPURAM